PATENT COOPERATION TREATY

PION THE INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

Robba, Pierpaolo INTERPATENT S R L NOTIFICATION OF THANSMITTAL OF Via Caboto 35 THE INTERNATIONAL PRELIMINARY 1-10129 TORINO EXAMINATION REPORT ITALIE (PCT Rule 71.1) Date of mailing (day/month/year) 23.08.2004 Applicant's or agent's file reference IMPORTANT NOTIFICATION 9804.02/PC/PC Priority date (day/month/year) International filing date (day/month/year) international application No. 30.05.2002 28.03.2003 PCT/SG 03/00065 Applicant HYDROBALL TECHNICS PTE LTD

- The applicant is hereby notified that this international Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCTAB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:

minery examining authority:

European Patent Office - P.B.

European Patent Office - P.S. 5816 Patentiaan 2 Na. 2280 MV Ribwijk - Pays Bas Tel. 631 70 340 - 2040 Tx: 31 651 epo nl. Fax: 431 70 340 - 3016 Authorized Officer

Ter Haar, H

Tel. +31 70 340-3817



į

Form PCT/PEA/415 (January 2004)

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT (PCT Article 36 and Rule 70)

Applicant's or agent's file reference 9804.02/PC/PC International application No.				FOR FURTHER	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCTAPEA416)			
			cation No.	International filing tlate	e (daymoniniyear)	Priority date (dwy/month/year)		
PCT/SG 03/00065 28.03.2003				28.03.2003		30.05.2002		
temai 2BG			nt Classification (IPC) o	r both national classification		r to supple		
POIICE YDF		ALL'	TECHNICS PTE L	Φ				
.]	This I	interno	netional preliminary e and is transmitted to	namination report has be the applicant according t	een propared by this to Article 96.	International Preliminary Examining		
!. I	This !	REPO	ORT consists of a to	al of 4 sheets, including	this cover sheet.			
Ē	3	beer	amended and are t	panied by ANNEXES, I. he basis for this report a tion 607 of the Administ	nd/or sheets containle	ription, claims and/or drawings which have ng rectifications made before this Authorit der the PCT).		
1	These annexes consist of a total of 2 sheets.							
,						•		
3. 1	This	repor	collacibni enlamos r	e relating to the following	Items:			
ı	(፟	Basis of the opinio	n	•	•		
ı	II		Priority					
1	ftt		Non-establishmen	of opinion with regard to	novelty, inventive st	ep and industrial applicability		
1	I۷		Lack of unity of inv	ention				
V Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive ste citations and explanations supporting such statement					y, inventive step or industrial applicability:			
•	۷I		Certain documents					
1	VII		Certain defects in	the International applicati	ion			
1	VIII Certain observations on the international application							
Date of submission of the demand					Date of completion	of this report		
19.08.2003					23.08.2004	23.08.2004		
Name and mailing address of the international preliminary examining authority:					Authorized Officer	Section 1944 August 1944 Augus		
European Patent Office - P.B. 5810 Palentiaan 2					. Ves Dasses M	· · · · · · · · · · · · · · · · · · ·		
Nt. 2280 HV RYSWIK - Pays Bas TBL +31 70 340 - 2040 Tx: 31 851 epo nl					Van Dooren, M	\ \		
Fax: +31 70 340 - 3016					Telephone No. +31	170 340-4097		

the end of the second

gritter of the con-

 Basis of the re 	eport
-------------------------------------	-------

Description, Pages

.

With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filled" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17);

	1-10	3	as originally filed	gillette (see see				
	Cla	ims, Numbers		•				
	1-8		filed with telefax on 05,04.2	filed with telefax on 05,04.2004				
	Ora	winge, Sheets						
	1/6-	8.6	as originally filed	as originally filed				
2.	Wit	h regard to the lange guage in which the in	were available or furnished to this Authority in the use otherwise indicated under this item.					
These elements were available or furnished to this Authority in the following language: , which								
	D	the language of a tr	ranslation furnished for the purposes	of the international search (under Rule 23.1(b)).				
the language of publication of the international application (under Rule 48.3(b)).								
	□	the language of a tr Rule 55.2 and/or 55		of international preliminary examination (under				
 With regard to any nucleotide and/or amino acid sequence disclosed in the international application international preliminary examination was carried out on the basis of the sequence listing: 								
		filed together with t	he international application in compu	er readable form.				
	Ö	fumished subseque	ently to this Authority in written form.					
		lumished subseque	ently to this Authority in computer rea	dable form.				
		The statement that in the international	equence listing does not go beyond the disclosure ad.					
	The statement that the information recorded in computer readable form is identical to the written sequilisting has been furnished.							
4.	4. The amendments have resulted in the cancellation of:							
		the description,	pages:					
		the claims.	Nos.:					
	□	the drawings,	sheets:					

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PC1/SG 03/00065

.5 [This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

No: Claims

Inventive step (IS)

Yes: Claims

No: Claims

Industrial applicability (IA)

Yes: Claims

Yes: Claims

1-8

No: Claims

2. Citations and explanations

see separate sheet

Re Item V

.◀

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Document DE-B-1247359, which is considered to represent the most relevant state of the art, discloses a system for cleaning tubing, from which the subject-matter of independent claim 1 differs in that the separator comprises rectangular perforations and that the system comprises means to rotate the fluid and the cleaning balls at the outlet pipe and cooperating with said rectangular slots of the separator for increasing the number of collisions between the cleaning balls.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as to remove more dirt accumulated on the surfaces of the cleaning balls after their passage through the tubing.

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT) as it is not known from, nor rendered obvious over the prior art.

Claims 2 - 8 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

CLAIMS

- 1. A system for cleaning tubing used for conducting a fluid therethrough, the tubing being connected to an inlet pipe (3) and an outlet pipe (9), the system having:
 - a plurality of cleaning balls (20) for circulating with the fluid through the tubing:
- a separator (12) disposed at the outlet pipe (9) and arranged to separate the cleaning balls (20) from the fluid, said separator comprising perforations which allow the fluid to flow through but not the cleaning balls (20):
 - a recirculating means comprising:
- a housing (21) arranged to collect the cleaning balls (20), the housing (21) having a first compartment (19) and second compartment (27) separated by an apertured partition (28), the spectured partition (28) being arranged to allow the fluid to pass through to the second compartment (27) but not the cleaning balls (20):
- a ball supply pipe (24) having an entrance (26) coupled to a first opening on the first compartment (19) of the housing (21) and an exit (3) coupled to a first opening on the inlet pipe (5);
- n fluid supply pipe (23) having an extrance (2) coupled to a second opening on the inlet pipe (5) and an axit (22) coupled to a second opening on the first compartment (19) of the housing (21);
- a fluid return pipe (16) having an entrance (30) coupled to an opening on the second compartment (27) of the housing (21) and an exit (14) coupled to an opening on the sutlet pipe (9).
- a ball return pipe (17) having an entrance (13) coupled to an opening on the separator (12) and an exit (31) coupled to a third opening on the first compartment (19) of the housing (21);
- a means for supply of cleaning balls to the inlet pipe (5) whereby a high pressure is formed at the entrance (2) of the fluid supply pipe (23) and a low pressure is formed at the exit (3) of the ball supply pipe (24), the difference in pressure causing a transfer of cleaning balls (20) from the housing (21) to the inlet pipe (5);
- and a means for a return of cleaning balls (20) to the housing (21) whereby a high pressure is formed at the entrance (13) of the ball return pips (17) and a low pressure is formed at the exit (14) of the fluid return pipe (16), the difference in pressure onusing a transfer of cleaning balls (20) from the separator (12) bank to the housing (21), wherein said recirculating means, said means for supply of cleaning balls and said means for return of cleaning balls are arranged to selectively transfer the plurality of cleaning balls (20) from the inlet pipe (5) to the outlet pipe (9), characterized in that said separator (12) comprises rectangular perforations (32) which allow the fluid to flow through but not the cleaning balls (20) and in that said system further comprises means (10) to rotate the fluid and the cleaning balls (20) at the outlet pipe (9) before the separator (12) and cooperating with said rectangular slots (32) for increasing the number of collisions between said cleaning balls (20) so as to remove the dirt accumulated on the surfaces of the cleaning balls (20) after their passage through the tubing (8).
- 2. A cleaning system according to claim 1, wherein the recirculating means further comprises a first valve (V1) disposed along the fluid supply pipe (23), a second valve (V2) disposed along the fluid return pipe (16), a first one-way valve (CV1) disposed along the ball supply pipe (24), and a second one-way valve (CV2) disposed along the ball return pipe (12); the first one-way valve (CV1) being operative to transfer the cleaning balls (20) from the housing (21) to the inlet pipe (5) and the second one-way valve (CW2) being operative to transfer the cleaning balls (20) from the separator (12) to the housing (21).

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not Jimited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER: _

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.